

CLEANING EQUIPMENT

FLOOR EQUIPMENT

AUTOMATIC SCRUBBERS — WALK BEHIND



MICROMATIC 14E

- 14 inch scrub path, cord electric
- Cylindrical scrub brush operates at 1000 rpm
- Front and rear squeegee system picks up solution in all directions
- 3 gallon “lift-out” solution and recovery tanks



SC351

- Innovative small sized scrubber with a low clearance and rotating deck which allows multi-direction scrubbing
- Four operating modes and two adjustable flow rates
- Handle folds down for compact storage
- 18.7 in squeegee width, 14.5 scrubbing width
- 2.5 gallon solution and 3 gallon recovery tanks, both removable for easy cleaning



SC400

- 17 inch scrubbing path
- Cord electric or battery models
- Smart Solutions™ solution control; 6 gallon solution and recovery tanks
- Offset and low profile scrub head for superior edge cleaning; foot activated centre pivot squeegee



SC450

- 20 inch scrub path, 10.5 gallon solution tank, 11.9 gallon recovery tank
- Onboard charger
- Tools-free squeegee/blades removal; centre pivot squeegee design for 100% water pickup
- Wrap-around ergonomic handle; safety on/off switch located on handle for convenience
- Variable pad driven assistance

FLOOR EQUIPMENT

AUTOMATIC SCRUBBERS — WALK BEHIND



ADFINITY™ 20D/X20D/X20C/X24D AVAILABLE WITH ECOFLEX™

- 20 and 24 inch disk and 20 inch cylindrical scrub paths with traction drive
- 14.5 gallon solution and recovery tanks
- Smart Solutions™ flow rate
- EcoFlex™ onboard detergent dispensing system (X20D, X20C, X24D)
- Onboard battery charger
- Variable pad pressure
- Interchangeable scrub decks
- Tools-free removal of squeegee and squeegee blades



ADFINITY™ X20R REV™

- 20 inch scrub path
- Random Orbital Scrubbing technology
- EcoFlex™ system standard
- Variable scrub pressure
- Micro scrubbing - 2250 rpm; Macro scrubbing - 30 rpm
- One pass, uniform floor finish removal
- 10.5 gallon solution and recovery tanks
- Super quiet 68.5 dB A sound level
- Traction drive & onboard charger



SC750 / SC800 AVAILABLE WITH ECOFLEX™ SYSTEM

- Available in 26, 28 or 34 inch disc and 28 inch cylindrical scrub paths
- Smart Solutions™ or EcoFlex™ on all machines
- Green cleaning and high productivity technology
- SC750 with 21 gallon (80L) solution and recovery tanks
- SC800 with 25 gallon (95L) solution and recovery tanks
- Safe 'N Dry squeegee system
- Self adjusting skirt on disc machines
- Heavy duty scrubbing performance



SC750 REV

- 28 inch scrub path, 21 gallon tanks
- Dual random orbital scrubbing technology; standard EcoFlex™
- Ultra low flow rate for high productivity
- Up to 3.5 hours scrubbing on a single tank; One-Touch™ scrubbing
- 170 pounds of down pressure
- Onboard charger



WARRIOR™ AVAILABLE WITH ECOFLEX™ SYSTEM

- Available in 28 and 32 inch scrub paths
- Tools-free interchangeable scrub decks
- Click-off disc scrub brushes (EcoFlex models)
- 30 gallon solution and recovery tanks
- Optional EcoFlex™ system reduces environmental impact and detergent costs
- Simple and intuitive controls
- Soft-Touch™ paddle system
- Whisper-quiet 71 dB A sound level
- Ultra-Flow™ squeegee system
- Easy-access recovery tank



FLOOR EQUIPMENT

AUTOMATIC SCRUBBERS — STAND ON



SC1500™ D/R WITH ECOFLEX™ SYSTEM

- SC1500 D - disk scrub head; SC1500 R - REV (Random Orbital Scrubbing technology)
- 20 inch scrub path
- EcoFlex™ system standard
- Scrub motor RPM - 140 (D); 2250 (R)
- 12 gallon solution and 13.5 gallon recovery tanks
- 0.16 to 0.5 gal/min flow rate (D); 0.11 to 0.23 gal/min flow rate (R)

FLOOR EQUIPMENT

AUTOMATIC SCRUBBERS — RIDE ON



SC3000™ WITH ECOFLEX™

- 26 inch scrub path
- SafetyGlide™ deck automatically moves in the direction of turn
- Standard EcoFlex™ system reduces environmental impact and detergent costs
- 21 gallon solution and recovery tanks
- 65 and 61 dB A sound levels
- Integrated Squeegee hanger
- Debris catch cage
- Onboard charger standard



ADVENGER AND ADVENGER REV™ WITH ECOFLEX™ SYSTEM

- Green cleaning and high productivity technology standard
- Optional EcoFlex™ system reduces environmental impact and detergent costs
- Tools-free interchangeable scrub decks - 28 inch (71 cm) cylindrical
- 28 gallon (106 L) solution and recovery tanks with Total Clean® technology
- One-Touch™ scrubbing with calibrated brush pressure and solution flow
- Patented Safe 'N Dry™ rear squeegee system
- New Advenger with REV (Random Orbital Scrubbing technology) available



ADGRESSOR® AVAILABLE WITH ECOFLEX™ SYSTEM

- Available in 35 or 38 inch disc scrub paths
- Optional EcoFlex™ system reduces environmental impact and detergent costs; available on 28 and 32 inch sizes
- Easy to clean 42 gallon solution and recovery tanks
- 36 V battery system
- Rugged design with heavy gauge steel chassis and metal bumper
- Battery watering system standard on EcoFlex™ system models; kit available as an option on non EcoFlex™ system machine

FLOOR EQUIPMENT

FLOOR MACHINES



FM800™ ORBITAL FLOOR MACHINE

- 1,725 1/4 inch orbits per minute
- 1 hp motor
- Heavy cast components
- Chemical-free removal of floor finish
- Low 58 dB A sound level
- Precision balanced counter weight and oversized drive bearing
- Ergonomic handle with safety interlock offers operator comfort and protection
- Optional 4 gallon solution tank for more demanding applications



PACESETTER™ 13/17/20/17HD/20HD/20SD/20TS

- 13, 17 and 20 have 1.0 hp, 66 frame motors at 175 rpm
- 17HD and 20HD have 1.5 hp, 66 frame motors at 175 rpm
- 20SD is 1.75 hp, 66 frame motor at 175 rpm
- 20TS has 66 frame motors that run at 180 and 320 rpm
- Ergonomic molded handles for safety and comfort
- Pad driver included



FLOOR EQUIPMENT

BURNISHERS



ADVOLUTION™ 20 and 20XP

- 20 inch burnishing path, 20 - 1500 rpm, 20XP - 2000 rpm
- Flex Floor Technology for consistent even shine even on unlevel floors
- Patented gas spring provides optimal head pressure for maximum gloss performance
- EZ Store™ folding handle
- Rotating cord hook
- 75 foot safety yellow cord with hospital grade plug
- 20XP model has dual port dust bag



BU800™ 20B/20BT/24B/24BT

- Pad assist model (20B/24B) or powered traction model (20BT/24BT) available
- Consistent and even polishing with self-regulating pad pressure
- Best passive dust control in the market, which helps improve indoor air quality
- Safety switch in pad change position
- Optional active dust control is available with the addition of an Adgility hip-style vacuum to the front of the machine



ADVOLUTION 2710

- Ultra high productivity, 6V / 395 Ah batteries
- 1750 rpm, 3.25 hp motor produces an exceptional shine
- One-Touch™ burnishing with three pad pressure settings
- Passive dust control standard; active dust control optional for added filtration



FLOOR EQUIPMENT

SWEEPERS



TERRA® 28B

- 28 inch sweep path
- Maintenance free gel battery standard
- Half as loud as most vacuums at 59 db A
- Standard onboard battery charger
- Tools-free removable brooms and hopper
- Rugged construction for carpet or hard floor applications



TERRA® 4300B

- 46 inch sweep path
- Battery operated
- Simple, ergonomic and intuitive operator interface
- 20% gradeability while sweeping
- Rugged construction for carpet or hard floor applications

FLOOR EQUIPMENT

WET/DRY TANK VACUUMS



SPRITE® 16 AND SPRITE® 16 PRO

- 16 gal tank capacity
- 24 inch front mount squeegee standard, S-wand tools purchased separately
- Sprite Pro model features stripper dispensing assembly
- 970 watt, 2 stage motor, waterlift 88 inch, 91 CFM, 73 dB A
- Empty by tip-and-pour or front drain hose
- 50 foot grounded detachable power cord
- Removable tank for easy cleaning
- Clear dome



VL500™

- Available in 9, 14, and 19 gallon tank sizes
- Unique filter system protects the motor from water, while ensuring complete wet/dry filtration
- Front mount squeegee is standard on VL500-75
- ERGO tip-n-pour on VL500-75 and standard tip-n-pour on the VL500-55
- Accessories either standard or available: hose, wand, squeegee floor tool, brush floor tool, crevice tool, dusting tool and front-mounted squeegee

FACILITY CLEANING EQUIPMENT

WASHROOM CLEANERS

C3XP TOUCHLESS WASHROOM CLEANER

- 18" width x 18" depth x 42" height; 70 lbs
- 10.1 US gal capacity
- 100 psi
- 12 V battery with 18 Amp Hours, 4 hours pump run-time

C3XP	325104
ACCESSORY KIT	325115
RECOVERY UNIT	3299240



CARPET EQUIPMENT

EXTRACTORS



AQUACLEAN® 12ST

- Single nozzle spray system allows for even coverage over the cleaning path
- Optional kit for hard floor scrubbing
- 5 gallon solution tank
- 12 inch cleaning path
- Single spray jet technology allows for even coverage over cleaning path



AQUACLEAN® 16ST/16XP/18FLX

- Integrated onboard spotting and upholstery tool on XP and FLX models
- Low moisture and restorative cleaning available on 16XP and 18FLX
- 1.5 three stage vacuum motor
- 117 inches of waterlift, 50 foot (15m) cord
- Brush and vacuum shoe removed without tools



AQUAPLUS™ AXP

- AXP™ Onboard Detergent Dispensing System
- LIFT™ technology for low-moisture cleaning
- One-Touch™ operation
- Deep Treat™ cleaning for pre-spray and post cleaning treatment



ES4000

- Total Carpet Care System
- 28 inch cleaning path
- 28 gallon solution and recovery tanks
- 4 cleaning modes — Dry-sweep, Interim, Pre-Treat, Restorative
- Onboard open chemical system
- Superior 63 inch (160 cm) turning radius
- 65 dB A sound level



CARPET EQUIPMENT

PORTABLE EXTRACTORS



AQUASPOT®

- Clear recovery tank with 2 dumping ports
- Exhaust air is filtered for maintaining indoor air quality
- Optional cart is designed with a tray and holds cleaning accessories



ET600™

- 13 gal solution and 10 gal recovery tank
- Single 3-stage vac motor, 137 inch waterlift
- 100 psi or 400 psi pump choice
- Instantaneous heat (100H and 400H models)
- Circuit Finder for dual plug on Heater models
- Available with AquaWand or Stainless Steel Cleaning Wands
- A variety of accessories and options available

CARPET EQUIPMENT

SPECIALTY MACHINES



ADPHIBIAN™

- Full function extractor and scrubber with AXP™ Onboard Detergent Dispensing System
- Single deck, less than 30 seconds to change from extracting to scrubbing
- CRI SOA Approved Deep Cleaning Extractor in both LIFT™ low-moisture and restoration cleaning modes
- Dual, anti-microbial counter rotating brushes with debris collection hopper
- Brushes, squeegee and vacuum shoes are removable without tools



HYDRODRY™

- Durable rotocast Polyethylene stackable blower with a 0.5 hp motor
- 3 speed settings to select the right amount of air movement
- Blower can be angled in three different positions to direct air as needed
- 25 foot power cord to reach those distant outlets

CARPET EQUIPMENT

BACKPACK VACUUMS



ADGILITY™ 6XP AND 10XP

- Comfortable, lightweight design
- Powerful 1,300 Watt motor
- Premium harnessing system
- Quiet 62 dB A sound level
- Cord restraint clips onto the safety cord and holds it in place
- Exhaust port directs warm air up and away from the operator
- SaniSeal™ self-sealing adhesive rim on bag seals to contain all dust and dirt
- Four levels of filtration, HEPA filter option

CARPET EQUIPMENT

CANISTER VACUUMS



EUROCLEAN GD930

- 1,000 Watt, 1.4 hp motor
- 74 cfm airflow
- 3 gallon dust bag capacity
- Five stage filtration system
- 50 ft cord



VP300™

- 900 Watt motor, 69 dB A sound level
- Filter basket standard for bagless operation
- Three levels of filtration standard
- 33 foot cord, rotating dust brush and crevice tool stored onboard
- Telescopic aluminum wand optional



VACUUMING 101

Vacuums are fantastic tools for improving the air quality of a facility, particularly when used on all surfaces, including hard floors, upholstery, and vents. Unlike brooms and dusters, which allow dust and dirt particles to become airborne, commercial vacuums with filtration remove these particles from the air. Vacuuming is the first and one of the most important steps in a green cleaning program.

All Nilfisk-Advance vacuums come with some level of air filtration, but a few, including the Adgility 6XP and 10XP backpack vacuums, come with multi-level filtration and/or HEPA filtration. This advanced filtration allows the vacuum to remove more than just regular dust and dirt, it can also remove particles such as bacteria that are only microns in size.

Here are some tips for using your vacuum more effectively:

1. Evaluate your facility's traffic level in various areas of the building, and build an efficient vacuuming routine. High traffic areas will need to be vacuumed daily, while lightly frequented areas may only need a weekly vacuuming.
2. Clean from the top of the room to the bottom. Dirt and dust fall, so use your vacuum to do your high dusting first, clean the other surfaces in the room, then finish with a vacuuming.
3. Those tools that came with your vacuum are not just for decoration. Use the brush tool for shelves and object dusting, use the crevice tool for tight or hard to reach areas and corners, and use the upholstery nozzle for furniture, curtains and mattresses.
4. Keep your vacuum in good working order:
 - Keep the vacuum clean.
 - Vacuum bags need to be changed once they have reached the half-full level.
 - Clean or replace filters.
 - Keep hoses and tools clean and obstruction-free.
 - If your vacuum has a beater bar, periodically clean the brush out, and replace the belt when worn.



Nilfisk-Advance is our valued partner for high quality cleaning equipment.

CARPET EQUIPMENT

UPRIGHT VACUUMS



RELIAVAC® 12 AND 12DC

- Single-motor
- 12 inch path is cleaned with a durable steel brush roller
- ReliaVac® 12 top fill bag enhances vacuum power
- ReliaVac® 12DC model has an easy to empty dirt cup
- Removable clear fan cover allows for identifying and removing clogs



SPECTRUM™ 12P, 15P, 12H

- 11.5 or 14.5 inch cleaning path; certified HEPA filtration standard
- Powerful 1,000 Watt, dual 2-stage motor
- Adjustable brush height
- 12H designed for hospitality sector with a non-marking tear-resistant bumper
- Tools-free removable brush
- Heavy duty cord restraint; 12P/15P has standard 50 ft cord, 12H has a shorter 33 ft cord



SPECTRUM™ 15D AND 18D

- 14.5 or 17.5 inch cleaning path
- Separate vacuum and brush motors for a powerful performance
- 1,350 Watts of power with combination of independent brush and vacuum motors
- Adjustable brush height with low brush height indicator light
- Certified HEPA filtration standard
- Tools-free removable brush
- Heavy duty cord restraint



VU500™

- 11.5 or 14.5 inch cleaning path; certified HEPA filtration standard
- Powerful 1000 W, 2-stage motor
- Automatic self adjusting brush height; advance radius turning system permits quick, short turns
- Quick cord clip for simple cord management; detachable power cable for quick service
- Accessories conveniently tucked behind wand
- Sealed, maintenance-free cog belt

CARPET EQUIPMENT

VACUUM CONSUMABLES



Agility 6XP/10XP	491471058500	Vacuum Bags 6XP, 10/pk	GD930	495305	Vacuum Bags, 10/pk
	491471097510	Vacuum Bags 10XP, 10/pk		491407087500	Combo Tool
	491471104500	HEPA Filter		AG1403260500	Paper Filter, 5/pk
	1471095500	Prefilter		AG1401515500	Foam Filter
	1471089500	Exhaust Filter		AG1401535500	Motor Protection Filter
Agility Hip Vac			ReliaVac		
495301	Vacuum Bags		4956637120	Paper Bags, 10/pk	
Backvac XP			Spectrum		
495028	Vacuum Bags, 5/pk		491471058500	Vacuum Bags, 10/pk	
4912018501	Combo Tool		AG1471203500	Crevice Nozzle Tool	
AG100960	HEPA Filter, 2/pk		491471205500	Upholstery Nozzle Tool	
AG100957	Prefilter				
Canistar			Quickstar		
495025	Vacuum Bags, 5/pk		495025	Vacuum Bags, 5/pk	
491408492510	Combo Tool		491408492510	Combo Tool	
AG1408436500	Paper Filter, 5/pk		491470678500	Dry Filter Basket	
AG1408435500	Foam Filter		AG1470670500	Motor Protection Filter	
AG1408551500	Motor Filter				
495042	HEPA Filter				
CarpeTrier			VP300		
495040	Cloth Bag		495025	Vacuum Bags, 5/pk	
56330690	Paper Bag, 6/pk		AG1471432500	Dry Basket Filter	
			AG1470670500	Motor Protection filter	
			1408244500	Dusting Brush, 1.25"	
			1470146500	Crevice Tool, 1.25"	
Carpetwin 14			VU500		
495075	Vacuum Bags, 10/pk		107407304	Sack Filter (55-75L)	
AG646888	Filters, 5/pk		107407296	Sack Filter	
			107407312	Brush Nozzle	
			107407334	Crevice Nozzle	
GD110			VacRide		
495304	Vacuum Bags, 10/pk		56602167	Disposable Bags, 6/pk	
491408003000	Combo Tool		56602142	Cloth Shake Out Bag	
AG1408025000	Prefilter		56330608	Bag Clip	
			491471250600	HEPA Exhaust Filter	
GD111					
491408618000	Vacuum Bags, 10/pk				

For additional tools and parts, please contact our service department at 1-866-722-9144.